




FIGURE 3













FIGURE 7







×	80	
	Port: 80	_
		Cancel
ile 3S;	•	(EU)
Sile Address:		

FIGURE 11

0K Cancel

New Site..

Save Password

Enter Password:

Access Site

Selected Site: My Server

	Billion							×
	S. Protect	Tags	Submit	Mirrors	Sites	EB Server	in i	
Current Site My Server	My Server							
Root		4	Status II	Image Name		Disnt	Displayed in	-
O 🔝 images			anflov	anflowers.gif	Sampl	Sample/csafe/index.html	x.html	N
o 🗀 cscabs	Salc		anwh	anwheel.gif	/Sampl	/Sample/csafe/index.html	x.html	
cgi-bin			hhigh	hhighlight.gif	/Sampl	/Sample/csafe/index.html	x.html	
\ <u>\</u> \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			hnews.gif	s.gif	/Sampl	/Sample/csafe/index.html	x.html	
			ma1.gif	<u>=</u>	/Sampl	/Sample/csafe/index.html	x.html	•••
			mainf	mainfeat.gif	/Sampli	/Sample/csafe/index.html	x.html	
	į		mcu1.gif	gif	/Sampl	/Sample/csafe/index.html	x.html	
o IISKesourceKit ◎ Samole	urceKit		menn	menubot.gif	/Sample	/Sample/csafe/index.html	x.html	
O (See Logos	SO		menu	menutop2.gif	/Sample	/Sample/csafe/index.html	x.html	
O R Photos	tos		mh3.gif	<u>=</u>	Sample	/Sample/csafe/index.html	x.html	
	O still		mlogo.gif	.gif	/Sample	/Sample/csafe/index.html	x.html	
	.00		mn1.gif	Œ	/Sample	/Sample/csafe/index.html	x.html	
	index.html		mp1.gif	Ħ	/Sample	/Sample/csafe/index.html	x.html	
	index2.html		mplugin.gif	in.gif	/Sample	/Sample/csafe/index.html	k.html	
index.html	x.html		mts1.gif	χί	/Sample	/Sample/csafe/index.html	chtml	
			onepixel.gif	rel.gif	Sample	/Sample/csafe/index.html	chtmi	
<pre>vfi_inf html</pre>	ım.	•	wcsafe.gif	e.gif	/Sample	/Sample/csafe/index html	htmi	



New Server seconds (Version 0.5.5.0)	2
Server Address (client):	192.168.1.39:80
Raot Directory	d:/Inetpub/wwwroot
Root Default Document.	default.htm
For Unsupported Browsers.	Watermark protected images (lited)
Replacement Tag:	
Waternark File;	watermark.gif
Watermark Saturation: (0 to 1 0)	0.85
Watermark Transparent Color. (0 to 255)	255
DIIVersion	1,0,0,30
Nelscape Version:	1,0,0,31
ActiveX Version:	1,9,0,27
Cache Directory	/cache
Duration in Cache, (min)	1440
Cache Monitoring Interval: (min)	1440
Log File Name:	cSafeLog.bd
Log Information Level:	0 (critical info)
Contact E-mall	dan@csafe.com
	Modify. Password

	Non-mirror Sites	mapte http://pine:80 http://sequoia-80			* Add to Mirrors	utomatically	s to Mirrors Close	
🕳 Mirror Sites	Mirrors of this gite				New .	V Update mirrors automatically	Send Current Settings to Mirrors Close	
			×					
			國Site List Manager	My Server maple http://pine:80	nttp://sequoia:80		New Modify.	
			×			sword	OK Cancel	
			State Current Password	Enter New Password:	Confirm New Password	Save Password	QK_	

FIGURE 18

FIGURE 16

	rar or the PlxSafe Server Installation Edit this file manually to enable PixSafe to protect dynamically # generated HTML or images retrieved by another (third party) server # The / after the directory name is compulsary #
#/cgi-bin/ #/scripts/ #/lpis.htm? = TAGS #/lpis.htm? = http://101.345.56.52:8081/ #.asp = PR01ECT	8081/